

GARED®

PORTABLE
BASKETBALL
BACKSTOPS



YOUR GAME
OUR BUSINESS

Table Of Contents



Model	Height	Weight	Material	Features
Micro-Z™	10'0"	150 lbs	Aluminum	Quick Connect™ System
Mini-EZ™	10'0"	150 lbs	Aluminum	Quick Connect™ System
Hoops21™	10'0"	150 lbs	Aluminum	Quick Connect™ System
GARED® Pro S	10'0"	150 lbs	Aluminum	Quick Connect™ System
GARED® Pro H	10'0"	150 lbs	Aluminum	Quick Connect™ System
Hoopmaster®	10'0"	150 lbs	Aluminum	Quick Connect™ System
Hoopmaster® LT	10'0"	150 lbs	Aluminum	Quick Connect™ System

Page 1
Comparison
Chart



Pages 2-3
GARED® Pro S



Pages 4-5
GARED® Pro H



Pages 6-7
Quick Connect™
System



Pages 8-9
Hoopmaster®



Page 10
Hoopmaster® LT



Page 11
Micro-Z™, Mini-EZ™,
Hoops21™








Page 12
Goals & Pads



Page 13
Backboards, LED Lights

Cover Photo:
Bud Walton Arena
University Of Arkansas

				
PRODUCT SERIES	GARED® PRO S	GARED® PRO H	HOOPMASTER® 8/5	HOOPMASTER® LT
MODEL #	9618/9616	5018/5016	9408/9405	9305
OPERATING SYSTEM	SPRING	ELECTRIC-HYDRAULIC	SPRING	SPRING
BOOM EXTENSION	10'8"/8'0"	10'8"/8'0"	8'0"/5'0"	5'6"
COLOR	POWDER WHITE STD.*	POWDER WHITE STD.*	POWDER WHITE STD.*	POWDER WHITE STD.*
WEIGHT	2900 LBS	3100 LBS	2200 LBS	1700 LBS
WHEEL-LIFT FEATURE	YES (OPTIONAL)	NO	NO	NO
QUICK CONNECT™ SYSTEM	YES (OPTIONAL)	YES (OPTIONAL)	YES (OPTIONAL)	NO
APPROVED OR MEETS REQUIREMENTS	FIBA, NCAA, NAIA NFHS, NBA	FIBA, NCAA, NAIA NFHS, NBA	FIBA, NCAA, NAIA NFHS, NBA	
PRICE	\$\$\$	\$\$\$\$	\$\$	\$
FEATURES	A T-SHAPE FULLY WELDED EXTENSION ARM AND WELL DESIGNED UPRIGHTS AND BASE GIVE THIS PORTABLE UNEQUAL STRUCTURAL STRENGTH WITHOUT THE NEED FOR UNSIGHTLY BRIDGES AND THE clearest VIEW OF THE GAME FOR FANS THAT SIT BEHIND IT.	THE MOST COPIED PORTABLE EVER BUILT, THE GARED PRO H WITH ITS TAPERED, LASER CUT, TRAPEZOIDAL EXTENSION ARM AND MAST, IS THE ULTIMATE SYSTEM IN STRENGTH AND STABILITY.	IT IS THE SIMPLICITY OF ITS DESIGN WITH ITS CLEAN AND SMOOTH LINES THAT MAKE THIS PORTABLE VERY POPULAR FOR MAIN COURT AS WELL AS SIDE COURT AND INTRAMURAL PLAY	THE HOOPMASTER® LT IS AN EXCELLENT CHOICE FOR SIDE COURT, INTRAMURAL AND RECREATIONAL PLAY BECAUSE IT IS BUILT STRONG AND YET SIMPLE TO OPERATE AND ITS LOW PRICE APPEALS TO COST CONCIIOUS USERS
WARRANTIES	10 YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD, 5 YEAR LIMITED WARRANTY ON PRO-MOLD®, 4 YEAR ON BREAKAWAY GOAL	10 YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD, 5 YEAR LIMITED WARRANTY ON PRO-MOLD®, 4 YEAR ON BREAKAWAY GOAL	10 YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD, 5 YEAR LIMITED WARRANTY ON PRO-MOLD®, 4 YEAR ON BREAKAWAY GOAL	10 YEAR LIMITED WARRANTY ON ALL PARTS, LIFETIME LIMITED WARRANTY ON BACKBOARD, 5 YEAR LIMITED WARRANTY ON PRO-MOLD®, 4 YEAR ON BREAKAWAY GOAL

*Other colors available

GARED® PRO S: SPRING BALANCED COMPETITION PORTABLE

The GARED® PRO S is the finest engineered competition portable in the world utilizing the Gared® tension spring technology. The maintenance-free tension spring mechanism is designed for balanced and effortless lifting and lowering of the unit and is concealed inside the base for safety and appearance. A superbly designed T-Shape extension arm made of fully welded, heavy wall rectangular tubing is patterned after our original Gared Pro H, which is universally considered the most structurally stable competition portable. The T-Shape extension arm and heavy duty uprights eliminate the need for unsightly bridge supports, giving the fans a clear view of the court. Available in 8' and 10' 8" boom extensions for all levels of play and adjustable to 8', 9', and 10' heights, the Gared Pro S comes equipped with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding and a positive lock breakaway goal. The base is fully padded on three sides with vinyl covered 2" thick high density polyurethane foam. The front upright is similarly padded to a height of 7' with 5" thick foam. Meets NCAA, NAIA, NFHS and NBA main court specifications and is approved by FIBA for high level international competition. Boom pad and floor anchoring system are included with the unit. Shot clock supports are sold separately. 10-Year Limited Warranty on all parts, Lifetime Limited Warranty on backboard included with the unit, 5-Year Limited Warranty on PRO-MOLD® pads and 4-Year on breakaway goal.

MODEL 9618: GARED® PRO S, 10' 8" (3.25 m) Extended Portable Basketball Backstop.

MODEL 9618WL: GARED® PRO S WITH WHEEL LIFT OPTION, 10' 8" (3.25 m) Extended Portable Basketball Backstop.

MODEL 9616: GARED® PRO S, 8' (2.5 m) Extended Portable Basketball Backstop

MODEL 9616WL: GARED® PRO S WITH WHEEL LIFT OPTION, 8' (2.5 m) Extended Portable Basketball Backstop

GARED® PRO S

GARED® FEATURES




QUICK CONNECT™ MOUNTING PLATES (PATENT PENDING)

Allows for quick and easy installation and removal of backboard and goal with fewer people.




QUICK BOARD PLUMBING ADJUSTMENT

Allows for quick, easy and accurate plumbing of the backboard for proper play.



SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds



NARROWER AND SHORTER BASE

Allows portable to be used and stored in tighter spaces

BACKBOARD: Model LXP4200 - official size 42" x 72" shatter proof rectangular glass backboard with a welded and reinforced steel frame. Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 3500 and 3500I Master, positive lock breakaway goals come standard with these units for the domestic and international markets respectively. Model 3500I Master meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1000 lbs. (455 kgs.) of ballast welded to and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'. Custom heights are available upon request.

ADJUSTABLE FLOOR PADS: Two floor pads are encased in steel supports for added stability, and are controlled by a screw-type mechanism that raises the unit off the wheels and adjusts the unit to exactly 10' height.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.



SHOT CLOCK & CAMERA SUPPORTS: Available at a nominal cost. Specify shot clock type.


TRANSPORT & STORAGE: Folds easily for compact storage with double non-marking polyurethane casters for easy transport.




AUTOMATIC FRONT WHEEL LIFT SYSTEM

This optional system is designed to make the basic installation and set up of the GARED® PRO S effortless. It eliminates the need to adjust the leveling pads by automatically lifting the front wheels off the ground when the boom is raised to the play position and lower them when the boom is lowered to the folded or stored position. As the portable is raised, a cam operated mechanism raises the front wheels off the floor causing the boom to lock in the play position and the base to rest evenly on the supporting frame. Conversely when the wheels are in the down position the portable can be moved around.





PLAYING HEIGHTS	DIMS	MODEL 5018	MODEL 5016
10'	A	10'-8"	8'-0"
	B	16'-10 1/2"	14'-2 1/2"
	C	12'-10 1/2"	10'-2 1/2"
9'	A	1'-4 1/2"	—
	B	7'-7"	—
8'	A	0'-5 1/2"	—
	B	6'-8"	—
STORAGE	D	13'-4"	12'-4 1/4"



GARED® PRO H

The GARED® PRO H is the flagship of the Gared family of portable basketball backstops, and it is by far the best competition basketball backstop in the industry. Uniquely engineered, it has been the portable of choice of many professional teams and colleges throughout the world. Tapered, laser cut, trapezoidal extension arm and mast provide ultimate backboard stability, meeting the most demanding requirements of professional competition play. The unit is raised and lowered with a state-of-art, electric-hydraulic system designed to be totally reliable and trouble free. Available in 8' and 10' 8" boom extensions for all levels of play and adjustable to 8', 9', and 10' heights, the GARED® PRO H comes equipped with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal. The base is fully padded on three sides with vinyl covered 2" thick high density polyurethane foam. The front upright is similarly padded to a height of 7' with 2" thick foam. Meets NCAA, NAIA, NFHS and NBA main court specifications and is approved by FIBA for high level international competition. Boom pad and floor anchoring system are included with the unit. Shot clock supports are sold separately. 10-Year Limited Warranty on all parts, Lifetime Limited Warranty on backboard included with the unit, 5-Year Limited Warranty on PRO-MOLD® pads and 4-Year on breakaway goal.

MODEL 5018: GARED® PRO H, 10' 8" (3.25 m) Extended Portable Basketball Backstop.

MODEL 5016: GARED® PRO H, 8' (2.5 m) Extended Portable Basketball Backstop

GARED® PRO H

BACKBOARD: Model LXP4200 - official size 42" x 72" shatter proof rectangular glass backboard with a welded and reinforced steel frame. Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 3500 and 3500I Master, positive lock breakaway goals come standard with these units for the domestic and international markets respectively. Model 3500I Master meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 1000 lbs. (455 kgs.) of ballast welded to and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'. Custom heights are available upon request.

ELECTRIC-HYDRAULIC SYSTEM: Simple to operate. Automatically controls folding and lifting of the unit with the turn of a key. Together with the tapered trapezoidal extension arm, it provides infinite adjustment from 8' to 10'. Available for domestic and international power supply.

FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

SHOT CLOCK & CAMERA SUPPORTS: Available at a nominal cost. Specify shot clock type.

TRANSPORT & STORAGE: Folds easily for compact storage with two 6" front and two 10" rear wide non-marking polyurethane casters for easy transport.

GARED® FEATURES



QUICK CONNECT™ MOUNTING PLATES (PATENT PENDING)

Allows for quick and easy installation and removal of backboard and goal with fewer people.




QUICK BOARD PLUMBING ADJUSTMENT

Allows for quick, easy and accurate plumbing of the backboard for proper play



ELECTRIC HYDRAULIC SYSTEM

Fully automatic system operates with a simple turn of a key, which is safely mounted under the base pad.



NARROWER AND SHORTER BASE

Allows portable to be used and stored in tighter spaces

QUICK CONNECT™ SYSTEM

Our new optional "Quick Connect™ System" includes our specially designed backboard and goal Quick Connect™ Mounting Plates and Cart. The Quick Connect™ system allows the user to remove and install a backboard and goal in less than three minutes, a task that may typically take in excess of 30 minutes without it. It is a great tool for emergency and normal maintenance of portable basketball backstops because it reduces down time caused by the replacement of either a defective backboard or goal. Using the Quick Connect™ System to remove/install backboards and goals quickly and safely, multipurpose gymnasium operators can now store their basketball portable backstops in areas with narrow entry ways for a more effective use of the facilities. The Quick Connect™ mounting plates are factory installed and must be purchased with the portable units. The cart can be purchased at any time, but for best results we recommend that they are purchased together. One Quick Connect™ Cart can service multiple portable basketball backstops.



QUICK CONNECT™ CART
(PATENT PENDING)



QUICK CONNECT™ MOUNTING PLATES
(PATENT PENDING)

STEPS TO REMOVE, AND REPLACE (REINSTALL) A BACKBOARD & GOAL USING THE GARED® QUICK CONNECT™ SYSTEM

THIS PROCESS TAKES APPROXIMATELY THREE MINUTES



Lower and secure portable boom to rest position



Wheel Quick Connect™ Cart in front and under backboard



Raise backboard until it sits securely on Quick Connect™ Cart



Disconnect upper braces from backboard



Rotate braces out of the way



Disconnect and remove holding pins from backboard Quick Connect™ Mounting Plates



Raise cart until backboard comes off hinges



Lean backboard forward until it sits securely on cart



Wheel cart to storage

TO INSTALL A BACK BOARD AND GOAL WITH THE GARED® QUICK CONNECT™ SYSTEM REVERSE STEPS 1-9.

Gared Quick Connect™ System

GARED HOOPMASTER®: MOST VERSATILE SPRING BALANCED PORTABLE BASKETBALL BACKSTOP SYSTEM

This state-of-art portable basketball system uses the Gared® tension spring technology for easy use and operation. The maintenance-free tension spring mechanism has been engineered for balanced and effortless lifting and lowering of the unit and the springs are concealed inside the base for safety and appearance. The Hoopmaster® is designed for main court play in university, high school and professional arenas. It is also ideal for all side court play and it is approved by FIBA for international competition. Available in 8' boom extensions for all levels of play and adjustable at 8', 9' and 10' heights, the Hoopmaster® comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal. The base is fully padded on three sides with vinyl covered high density polyurethane foam. The front is similarly padded to a height of 7'. Boom pad and anchoring system are included with the unit. Shot clock supports are sold separately. 10-Year Limited Warranty on all parts, Lifetime Limited Warranty on backboard included with the unit, 5-Year Limited Warranty on PRO-MOLD® pads and 4-Year on breakaway goal.


MODEL 9408: GARED HOOPMASTER®8, 8' (2.5 m) Extended Portable Basketball Backstop

MODEL 9405: GARED HOOPMASTER®5, 5' (1.5 m) Extended Portable Basketball Backstop

Hoopmaster®

GARED® FEATURES**QUICK BOARD PLUMBING ADJUSTMENT**

Allows for quick, easy and accurate plumbing of the backboard for proper play. This is an optional add-on.

**SPRING ASSIST OPERATION**

Spring design allows backstop to be easily lifted in under 10 seconds

**EASY SPRING ADJUSTMENT**

BACKBOARD: Model LXP4200 official size 42" x 72" tempered glass backboard with a welded reinforced powder-coated steel frame. Half inch tempered glass with fired in target and border for maximum durability. LED perimeter lights, #2137, are sold separately.

GOAL: Models 2500 Collegiate and 2500I Tournament, positive lock breakaway goals come standard with these units for the domestic and international markets, respectively. Model 2500I Tournament meets all FIBA standards. Other breakaway goals are optional and available upon request.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue. Other colors are available at no additional cost. Custom logos for the front and side pads are available at additional cost.

BALLAST: 1000 lbs. (455 kgs.) of ballast welded to and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'. Custom heights are available upon request.

ADJUSTABLE FLOOR PADS: Two floor pads are encased in steel supports for added stability, and are controlled by a screw-type mechanism that raises the unit off the wheels and adjusts the unit to exactly 10' height.


FLOOR ANCHORING SYSTEM: Floor anchors and locator pins are included as standard. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

TRANSPORT & STORAGE: Folds easily for compact storage with single non-marking polyurethane casters for easy transport.



PLAYING HEIGHTS	DIMS	MODEL 9408	MODEL 9405
10'	A	8'-0"	5'-0"
	B	14'-6 1/4"	11'-6 1/4"
	C	10'-6 1/4"	7'-6 1/4"
9'	A	4'-2 1/4"	1'-2 1/4"
	B	10'-8 1/4"	7'-8 1/4"
8'	A	2'-11"	-
	B	9'-5 1/4"	-
STORAGE	D	14'-3 1/4"	12'-0 3/4"



GARED HOOPMASTER® LT: THE PORTABLE OF CHOICE FOR SIDE COURTS, OUTDOOR COMPETITION AND INTRAMURAL PLAY

The traditional style of the GARED Hoopmaster® LT, offers more features and structural strengths than any similar size basketball portable backstop available in the market. A unique tension spring mechanism allows for effortless lifting and lowering of the unit. It is adjustable at 8', 9' and 10' heights, the Hoopmaster® LT comes with an official size (42" x 72") shatter proof glass backboard, our original PRO-MOLD® backboard padding, and a positive lock breakaway goal. The base is fully padded on three sides with vinyl covered high density polyurethane foam. An anchoring system is included with the unit. 10-Year Limited Warranty on all parts, Lifetime Limited Warranty on backboard included with the unit, 5-Year Limited Warranty on PRO-MOLD® pads and 4-Year on breakaway goal.

MODEL 9305: GARED HOOPMASTER® LT, 5' 6" (1.5 m) Extended Portable Basketball Backstop



BACKBOARD: Available ½" tempered glass backboard with a welded reinforced powder-coated steel frame (BB72G50). Limited Lifetime Warranty on backboards. 60" glass and acrylic backboards are optional and available upon request.

GOAL: 2000+ Scholastic breakaway goal with the glass backboard.

PADDING: Durable Gared PRO-MOLD® backboard edge padding comes in a wide variety of colors. Standard color for system padding is royal blue; other colors are available at no additional cost. Custom logos for the front and side pads are available at an additional cost.

BALLAST: 950 lbs. (432 kgs.) of ballast are welded and concealed in the base of the unit.

HEIGHT ADJUSTABLE: Unique telescoping brace allows for preset heights of 8', 9' and 10'.

FLOOR ANCHORING SYSTEM: Floor anchors are optional. Specify floor type.

FINISH: The unit is powder-coated white. Other colors are available at additional cost.

TRANSPORT & STORAGE: Folds easily for compact storage with single non-marking polyurethane casters for easy transport.

Hoopmaster® LT

GARED® FEATURES




SPRING ASSIST OPERATION

Spring design allows backstop to be easily lifted in under 10 seconds by a single person.



EASY SPRING ADJUSTMENT



PLAYING HEIGHTS	DIMS	MODEL 9305
10'	A	5'-6"
	B	11'-10 1/4"
	C	7'-4 1/4"
9'	A	2'-1 1/4"
	B	8'-5"
8'	A	10 3/4"
	B	7'-2 1/2"
STORAGE	D	11'-7 1/4"

THE MICRO-Z™ ROLL AROUND PORTABLE SETS THE INDUSTRY STANDARD

The Micro-Z™ is the first of its kind and most popular roll-around Portable Backstop System for the past 10 years. This highly portable system rolls easily on four large casters and locks in place with the flip of a brake lever. This high quality backstop is great for all ages and skill levels and priced for any budget. It is designed for side court and multipurpose recreational areas. It folds down to 48" W x 54" H x 88" L - including board & goal. This portable is not recommended for main court use or dunking activities.

MODEL: MICRO-Z™, Roll-Around basketball backstop. 2 year limited warranty on all parts included with the unit



BACKBOARD: Model GP48321SQ, 48" x 32" rectangular acrylic backboard with 3/8" thickness affixed to a superior 1" welded aluminum uni-frame.

GOAL: Model 26WO standard stationary goal with nylon net.

PADDING: Fully padded with high density polyurethane foam covered with non-tearing 18 oz. black vinyl. Backboard padding not included.

BALLAST: 250 lbs. (114 Kgs.) of ballast required and concealed in the base of the unit. Ballast weight is not Included.

HEIGHT ADJUSTABLE: Spring assisted unit adjusts from 7' juniors' to 10' regulation heights



MODEL: MINI-EZ™, Roll-Around basketball backstop with 48" x 32" rectangular acrylic backboard. 2-Year Limited Warranty on all parts included with the unit.

THE MINI-EZ™ ROLL AROUND PORTABLE SETS THE INDUSTRY STANDARD

The Mini-EZ™ is designed to provide rugged durability for home, club or church use. This highly portable system rolls easily on four large casters and sets in place with the flip of a lever. It features heavy duty steel construction and direct mount goal design. It folds down to 48" W x 80 1/2" H x 62" L -including board & goal. This portable is not recommended for main court use or dunking activities.

Hoops 21™



GARED HOOPS 21™: THE PROVEN 3-ON-3 TOURNAMENT PORTABLE

The GARED Hoops 21™ offers a computer designed, black powder-coated, unitized frame that makes it the strongest, most portable 3-on-3 basketball tournament system in the market. Designed for indoor/outdoor use, it is adjustable at 8', 9' and 10' heights. It is totally collapsible and folds easily into a flat, compact storage position that can be rolled away. This portable unit comes with a beefy fan shaped 54" X 39" fiberglass. A 2" thick high density polyurethane foam front pad covered with 18 oz. black vinyl is included for added player protection. A minimum of 300 lbs of ballast is required. Vinyl bags that can be filled with sand are included with the unit.

MODEL 9249: HOOPS 21™, "3 on 3" portable basketball backstop with 54" X 39" fan shaped fiberglass backboard. 1-Year Limited Warranty on all parts included with the unit.

BACKBOARD: Model 1301B Fan Shape Fiberglass Board

GOAL: Model 39WO institutional fixed goal is standard with the unit.

PADDING: Fully padded with 2" thick high density polyurethane foam covered with non-tearing 18 oz. black vinyl for added player protection.

BALLAST: Vinyl bags that can be filled with sand come standard with its portable unit; 300 lbs of ballast is recommended.

HEIGHT ADJUSTABLE: The unit can be easily adjusted to 8', 9' and 10' heights.

FINISH: Entire system powder-coated black.

TRANSPORT & STORAGE: Folds completely into a compact storage position that can be easily lifted and rolled away.

GARED MASTER 3000® BREAKAWAY GOAL

The Gared Master 3000® Breakaway Goal is the premium arena basketball goal • Heat treated ball bearings and steel hardened springs create a positive lock pressure setting allowing precise fly-back action • Features full steel wing brace design and continuous no-tie ring for optimal rim strength • Goal is powder-coated to protect from environmental elements • Universal back plate accommodates most rectangular and fan-shaped backboards • Includes GAW and mounting hardware • Recommended Backboards: Competition glass • Meets NCAA, NFHS & NAIA specifications • Adjustable positive lock mechanism complies with NCAA rim elasticity rule • For indoor use

3000: Gared Master 3000® Breakaway Goal, 10 Year Warranty on Breakaway Mechanism, 4 Year Warranty on Rim, 4" x 5" Hole Spacing, Weight: 26 LBS, Ground Courier Service

3500: Gared Master 3500 Breakaway Goal, like the Master 3000, but with tube-tie net attachment, 10 Year Warranty on Breakaway Mechanism, 4 Year Warranty on Rim, 4" x 5" Hole Spacing, Weight: 26 LBS, Ground Courier Service

3500I: Gared Master 3500I Breakaway Goal, like the Master 3500, but made to FIBA specifications, 3/4" x 17 3/4 rim, 10 Year Warranty on Breakaway Mechanism, 4 Year Warranty on Rim, 4" x 5" Hole Spacing, Weight: 26 LBS, Ground Courier Service



3000

GARED 4000 MDG MULTI-DIRECTIONAL BREAKAWAY GOAL

The new 4000 Multi-Directional Breakaway Goal (MDG) is the Smoothest 180 degree rim available on the court • Smooth spring action setting allows for premium fly-back action • Unique design allows goal to break in all directions using even force • Full steel wing brace design provides optimal rim strength • Goal is powder-coated to protect from environmental elements • Recommended Backboards: Competition glass • Meets NCAA, NFHS & NAIA specifications • Adjustable positive lock mechanism complies with NCAA rim elasticity rule • For indoor use

4000: Gared 4000 MDG Multi-Directional Breakaway Goal
5 Year Limited Warranty on Rim
4" x 5" Hole Spacing, Weight: 24 LBS, Ground Courier Service

2500: GARED TOURNAMENT BREAKAWAY GOAL

Safety comes first with the 2500 and 2500I FIBA International Tournament Breakaway Goals • Positive lock pressure setting allows precise fly-back action • Continuous tube-tie net attachment protects from hand injuries • Full steel wing brace design provides optimal rim strength • Goal is powder-coated to protect from environmental elements • Front mount 5/8" x 18" single rim • Universal back plate accommodates most rectangular and fan-shaped backboards • Includes GAW and mounting hardware • Recommended Backboards: Competition glass • Meets NCAA, NFHS & NAIA specifications • Adjustable positive lock mechanism complies with NCAA rim elasticity rule • For indoor use

2500: Gared Tournament Breakaway Goal with 3/4" x 17 3/4" Rim
4 Year Limited Warranty
4" x 5" Hole Spacing, Weight: 25 LBS, Ground Courier Service

2500I: FIBA International Tournament Breakaway Goal with 3/4" x 17 3/4" Rim,
4 Year Limited Warranty
4" x 5" Hole Spacing, Weight: 25 LBS, Ground Courier Service



2500/2500I

2000+: Gared Collegiate Breakaway Goal with continuous no-tie ring
4 Year Limited Warranty
4" x 5" Hole Spacing, Weight: 25 LBS, Ground Courier Service

GARED PRO-MOLD®**PMCE: PRO-MOLD® CUSHION EDGE**

- Bolts on to most 72" glass backboards
- Urethane high density foam with tough skin mold covering
- Metal clips imbedded in the foam to reinforce bolt holes
- Mounting hardware included
- Available in the following colors: Gray, Black, Royal Blue, Scarlet, Burgundy, Navy Blue, Forest Green, Kelly Green, Yellow, Purple, Gold, Brown, Columbia Blue, Cardinal Red
- Meets NCAA and NFHS specifications
- 5 Year Warranty



LXP4200: STEEL FRAME GLASS BACKBOARD

The Steel Frame Glass backboards are the strongest, shatter resistant backboard available • Engineered with durability in mind, this backboard's welded and re-enforced steel frame, distinctive heavy duty corner brackets and direct to goal mounting allows for disbursement of stress along the steel tubular frame offering unequal strength, stability and glass protection • 1/2" tempered glass features fired-in target and border • Predrilled for GARED PRO-MOLD® and other backboard padding • Compatible Mounting: GARED® PRO S and H, Hoopmaster® Portables, Ceiling & Wall Mounted systems • Recommended Rims: 4000, 3500I, 3500, 3000, 2500I, 2500, 2000+ • Meets NCAA, NAIA and NFHS specifications


LXP4200: 42" x 72" Steel Frame Short Glass Backboard, Limited Lifetime Warranty, 5" x 4" Hole Spacing, Weight: 201 LBS, Truck, Freight Class 85

LXP4200CD: 42" x 72" Steel Frame Short Glass Backboard with our Gared Glass Retention System, Limited Lifetime Warranty, 5" x 4" Hole Spacing, Weight: 201 LBS, Truck, Freight Class 85

LXP4200LED: 42" x 72" Steel Frame Short Glass Backboard with our perimeter LED light system Limited Lifetime Warranty on glass backboard only, 5" x 4" Hole Spacing, Weight: 218 LBS, Truck, Freight Class 85



LXP4200/AFRG42



GARED® Glass Retention System

AFRG42: ALUMINUM FRAME GLASS BACKBOARD

The Aluminum Frame Glass backboards are the top quality, competition, shatter resistant backboards used in more high schools and universities than any other board • Distinctive heavy duty corner brackets and direct to goal mounting allows for disbursement of stress along the extruded frame • 1/2" tempered glass features fired-in target and border • Predrilled for GARED PRO-MOLD® and other backboard padding • Compatible Mounting: GARED® PRO S and H, Hoopmaster® Portables, Ceiling & Wall Mounted systems • Recommended Rims: 4000, 3500I, 3500, 3000, 2500I, 2500, 2000+ • Meets NCAA, NAIA and NFHS specifications

AFRG42: 42" x 72" Aluminum Frame Short Glass Backboard, Limited Lifetime Warranty 5" x 4" Hole Spacing, Weight: 184 LBS, Truck, Freight Class 85

AFRG42CD: 42" x 72" Aluminum Frame Short Glass Backboard, with our Gared® Glass Retention System, Limited Lifetime Warranty 5" x 4" Hole Spacing, Weight: 184 LBS, Truck, Freight Class 85

AFRG42LED: 42" x 72" With our perimeter LED light system, Aluminum Frame Short Glass Backboard, Limited Lifetime Warranty on glass backboard only, 5" x 4" Hole Spacing, Weight: 204 LBS, Truck, Freight Class 85

LED Light System



2137: PERIMETER LED LIGHT KIT

The GARED Perimeter LED light strips, neatly housed inside custom PVC extrusions, are cleanly interconnected to eliminate the clutter usually found in competitors' systems. Affixed to the outer most part of the back of the glass backboard, the LED lights are easily seen without blocking the view from behind the glass or interfering with the play. They comply with the most recent recommendations from FIBA, NCCA and NBA. The kit includes LED light strips, adapter cable and 120 or 220 Volt AC power supply with 24 Volt AC output. The lights are turned on and off from a signal sent from the shot clock and scoreboard. Please specify shot clock and score board manufacturer and model number.



Featured Facilities



MACKEY ARENA • PURDUE UNIVERSITY • WEST LAFAYETTE, IN USA



UNIVERSIDAD AUTONOMA
DE NUEVO LAREDO
MONTERREY, MEXICO



MARAVICH CENTER
LSU TIGERS
BATON ROUGE, LA USA



CONSECO FIELD HOUSE
INDIANA PACERS
INDIANAPOLIS, IN USA



707 N. 2nd St., Suite 220 • St. Louis, MO 63102
customerservice@garedsports.com
www.garedsports.com
Fax: 314.421.6014 or call

800.325.2682 • 314.421.0044



JOYCE CENTER
UNIVERSITY OF NOTRE DAME
SOUTH BEND, IN USA



MACKEY ARENA
PURDUE UNIVERSITY
WEST LAFAYETTE, IN USA